Architectural Structures: Form, Behavior, and Design

Arch 331
Dr. Anne Nichols
Summer 2014

lecture
twenty three

concrete construction: foundation design

Bright Football Complex
www.tamu.edu

Foundation

- *the engineered interface between the earth and the structure it supports that transmits the loads to the soil or rock*





Structural vs. Foundation Design

- structural design
  - choice of materials
  - choice of framing system
  - uniform materials and quality assurance
  - design largely independent of geology, climate, etc.

Structural vs. Foundation Design

- foundation design
  - cannot specify site materials
  - site is usually predetermined
  - framing/structure predetermined
  - site geology influences foundation choice
  - no site the same
  - no design the same



Soil Properties & Mechanics

- *unit weight of soil*
- *allowable soil pressure*
- *factored net soil pressure*
- *shear resistance*
- *backfill pressure*
- *cohesion & friction of soil*
- *effect of water*
- *settlement*
- *rock fracture behavior*

Soil Properties & Mechanics

- *compressibility*
  - *settlements*
- *strength*
  - *stability*
    - *shallow foundations*
    - *deep foundations*
    - *slopes and walls*
  - *ultimate bearing capacity, q_u*
  - *allowable bearing capacity, $q_a = \frac{q_u}{S.F.}$*



finehomebuilding.com

Soil Properties & Mechanics

- *strength, q_a*

Table 1804.3
PRESUMPTIVE LOADBEARING VALUES OF FOUNDATION MATERIALS

Class of material	Loadbearing pressure (pounds per square foot)[a]
1. Crystalline bedrock	12,000
2. Sedimentary rock	6,000
3. Sandy Gravel	5,000
4. Sand, silty sand, clayey sand, silty gravel and clayey gravel	3,000
5. Clay, sandy clay, silty clay & clayey silt	2,000

Note a. 1 psf = 47.9 Pa.

FIGURE 2.5
Presumptive surface bearing values of various soils, as given in the BOCA National Building Code/1996. (*Reproduced by permission*)

Bearing Failure

- *shear*



Lateral Earth Pressure

- *passive vs. active*



Foundation Materials

- *concrete, plain or reinforced*
  - *shear*
  - *bearing capacity*
  - *bending*
  - *embedment length, development length*
- *other materials (piles)*
  - *steel*
  - *wood*
  - *composite*

Basic Foundation Requirements

- *safe against instability or collapse*
- *no excessive/damaging settlements*
- *consider environment*
  - *frost action*
  - *shrinkage/swelling*
  - *adjacent structure, property lines*
  - *ground water*
  - *underground defects*
  - *earthquake*
- *economics*

Generalized Design Steps

- *calculate loads*
- *characterize soil*
- *determine footing location and depth*
- *evaluate soil bearing capacity*
- *determine footing size (unfactored loads)*
- *calculate contact pressure and check stability*
- *estimate settlements*
- *design footing structure* (factored loads)*

Types of Foundations

- *spread footings*
- *wall footings*
- *eccentric footings*
- *combined footings*
- *unsymmetrical footings*
- *strap footings*



Figure 5.1 Spread footing shapes and dimensions.

Types of Foundations



- *mat foundations*
- *retaining walls*
- *basement walls*
- *pile foundations*
- *drilled piers*

Shallow Footings

- *spread footing*
  - *a square or rectangular footing supporting a single column*
  - *reduces stress from load to size the ground can withstand*



Actual vs. Design Soil Pressure

- *stress distribution is a function of*
  - *footing rigidity*
  - *soil behavior*



- *linear stress distribution assumed*



Proportioning Footings

- net allowable soil pressure, q_{net}
  - $q_{net} = q_{allowable} - h_f(\gamma_c - \gamma_s)$
  - considers all extra weight (overburden) from replacing soil with concrete
  - can be more overburden
- design requirement with total unfactored load:

$$\frac{P}{A} \le q_{net}$$



Concrete Spread Footings

- plain or reinforced
- ACI specifications
- P_u = combination of factored D, L, W
- ultimate strength
  - $V_u \leq \phi V_c : \ \phi = \ 0.75$ for shear
    - plain concrete has shear strength
  - $M_u \leq \phi M_n : \ \phi = \ 0.9$ for flexure

Concrete Spread Footings

- *failure modes*



Figure 9.2 "Shear" failure in a spread footing loaded in a laboratory (Talbot, 1913). Observe how this failure actually is a combination of tension and shear.

shear



Figure 9.3 Flexural failure in a spread footing loaded in a laboratory (Talbot, 1913).

bending

Concrete Spread Footings

- *shear failure*



one way shear



two way shear

Over and Under-reinforcement

- reinforcement ratio for bending
  - $\rho = \dfrac{A_s}{bd}$
  - use as a design estimate to find A_s,b,d
  - max ρ from $\varepsilon_{steel} \geq 0.004$
  - minimum for slabs & footings of uniform thickness $$\frac{A_s}{bh} = 0.002 \;\; grade\ 40/50\ bars$$ $$= 0.0018 \;\; grade\ 60\ bars$$

Reinforcement Length

- need length, ℓ_d
  - bond
  - development of yield strength



Figure 6.2.1 Development of reinforcement.



Figure 6.11.2 Development length L_{dh} for hooked bar.

Column Connection

- bearing of column on footing
  - $P_u \leq \phi P_n = \phi(0.85 f'_c A_1)$
    $\phi = 0.65$ for bearing
  - confined: increase x $\sqrt{A_2/A_1} \leq 2$



- dowel reinforcement
  - if $P_u > P_b$, need compression reinforcement
  - min of 4 - #5 bars (or 15 metric)



Wall Footings

- continuous strip for load bearing walls
- plain or reinforced
- behavior
  - wide beam shear
  - bending of projection
- dimensions usually dictated by codes for residential walls
- light loads





Eccentrically Loaded Footings

- *footings subject to moments*



  - *soil pressure resultant force <u>may not coincide</u> with the centroid of the footing*

Differential Soil Pressure

– to avoid large rotations, limit the differential soil pressure across footing

– for rigid footing, simplification of soil pressure is a linear distribution based on constant ratio of pressure to settlement



Kern Limit

- *boundary of e for no tensile stress*
- *triangular stress block with p_{max}*

$$volume = \frac{wpx}{2} = N$$

$$p_{\max} = \frac{2N}{wx}$$



Guidelines

– *want resultant of load from pressure inside the middle third of base (kern)*

- *ensures stability with respect to overturning*

$$SF = \frac{M_{resist}}{M_{overturning}} = \frac{R \cdot x}{M} \geq 1.5$$



– *pressure under toe (maximum)* $\leq q_a$

– *shortcut using uniform soil pressure for design moments gives similar steel areas*

Combined Footings

– supports two columns
– used when space is tight and spread footings would overlap or when at property line



– soil pressure might not be uniform
– proportion so pressure will uniform for sustained loads
– behaves like beam lengthwise

Combined Footing Types

- rectangular
- trapezoid



- strap or cantilever
  - prevents overturning of exterior column



- raft/mat
  - more than two columns over an extended area



Proportioning

- uniform settling is desired
- area is proportioned with sustained column loads
- want the resultant to coincide with centroid of footing area for uniformly distributed pressure assuming a rigid footing



$$q_{max} \le q_a$$

Retaining Walls

- *purpose*
  - *retain soil or other material*
- *basic parts*
  - *wall & base*
  - *additional parts*
    - *counterfort*
    - *buttress*
    - *key*





Retaining Walls

- considerations
  - overturning
  - settlement
  - allowable bearing pressure
  - sliding
  - (adequate drainage)



FIGURE 2.50
Three failure mechanisms in retaining walls.

Retaining Walls

- *procedure*
  - *proportion and check stability with working loads for bearing, <u>overturning</u> and <u>sliding</u>*
  - *design structure with factored loads*



$$SF = \frac{M_{resist}}{M_{overturning}} \geq 1.5 - 2$$

$$SF = \frac{F_{horizontal-resist}}{F_{sliding}} \geq 1.25 - 2$$

Retaining Wall Proportioning

- *estimate size*
  - *footing size, B* $\approx$ *2/5 - 2/3 wall height (H)*
  - *footing thickness* $\approx$ *1/12 - 1/8 footing size (B)*
  - *base of stem* $\approx$ *1/10 - 1/12 wall height* $(H+h_f)$
  - *top of stem* $\geq$ *12"*



Retaining Walls Forces

- *design like cantilever beam*
  - V_u & M_u *for reinforced concrete*
  - $V_u \leq \phi V_c : \ \phi =$ *0.75 for shear*
  - $M_u \leq \phi M_n : \ \phi =$ *0.9 for flexure*



Figure 24.12 Typical loading diagrams for stem design: (a) with no surcharge loads; (b) with uniform surcharge load; (c) with point surcharge load.

Retaining Wall Types

- *"gravity" wall*
  - *usually unreinforced*
  - *economical & simple*



(a) Gravity wall

- *cantilever retaining wall*
  - *common*



(b) Cantilever retaining wall

Retaining Wall Types

- *counterfort wall*
- *buttress wall*

} very tall walls (> 20 - 25 ft)

- *bridge abutment*
- *basement frame wall (large basement areas)*



(c) Counterfort wall



(d) Buttress wall



Deep Foundations

- usage
  - when spread footings, mats won't work
  - when they are required to transfer the structural loads to good bearing material
  - to resist uplift or overturning
  - to compact soil
  - to control settlements of spread or mat foundations

Deep Foundation Types

- *piles - usually driven, 6”-8” ϕ, 5’ +*
- *piers*
- *caissons*
- *drilled shafts*
- *bored piles*
- *pressure injected piles*

drilled, excavated, concreted (with or without steel) (piers, caissons, drilled shafts, bored piles)

2.5’ - 10’/12’ϕ

Deep Foundation Types



Deep Foundations

- *classification*
  - *by material*
  - *by shape*
  - *by function (structural, compaction…)*
- *pile placement methods*
  - *driving with pile hammer (noise & vibration)*
  - *driving with vibration (quieter)*
  - *jacking*
  - *drilling hole & filling with pile or concrete*

Piles Classified By Material

- timber
  - use for temporary construction
  - to densify loose sands
  - embankments
  - fenders, dolphins (marine)
- concrete
  - precast: ordinary reinforcement or prestressed
  - designed for axial capacity and bending with handling



Piles Classified By Material

- *steel*
  - *rolled HP shapes or pipes*
  - *pipes may be filled with concrete*
  - *HP displaces little soil and may either break small boulders or displace them to the side*

Piles Classified By Function

– *end bearing pile (point bearing)*



– *friction piles (floating)*



Piles Classified By Function

– *combination friction and end bearing*

– *uplift/tension piles*

structures that float,
towers



– *batter piles*

angled,
cost more,
resist large
horizontal loads



Piles Classified By Function

- *fender piles, dolphins, pile clusters*

large # of piles
in a small area



- *compaction piles*
  - *used to densify loose sands*
- *drilled piers*
  - *eliminate need for pile caps*
  - *designed for bearing capacity (not slender)*

Pile Caps and Grade Beams

– like multiple column footing

– more shear areas to consider