F2008abn



Fact Sheet 229-96

ARCH 631

The "100-Year Flood"



Flood designations are based on statistical averages, *not* on the number of years between big floods.

The estimates are only as good as the available data. Flood designations are updated as more data are collected or when the conditions change in a river basin.

BIG FLOODS COULD HAPPEN AGAIN IN WASHINGTON DURING ANY YEAR

Rivers across the Nation seem to be rising to record flood levels almost every year. In Washington, more

ARCH 631

Note Set 15.4

than one 100-year flood has happened on a few rivers in just the past several years. How can 100-year floods happen so often?

WHY DON'T THESE FLOODS HAPPEN EVERY 100 YEARS?

The term "100-year flood" is misleading because it leads people to believe that it happens only once every 100 years. The truth is that an uncommonly big flood can happen any year. The term "100-year flood" is really a statistical designation, and there is a **1-in-100 chance** that a flood this size will happen during any year. Perhaps a better term would be the "1-in-100 chance flood."

The actual number of years between floods of any given size varies a lot. Big floods happen irregularly because the climate naturally varies over many years. We sometimes get big floods in successive or nearly successive years with several very wet years in a row.

HOW ARE FLOODS DESIGNATED?

Scientists collect data and study past floods to get a minimum of 10 years of information about the river; a longer record provides a better estimate of the "1-in-100 chance flood." Scientists use statistics and observe how frequently different sizes of floods occurred, and the average number of years between them, to determine the probability that a flood of any given size will be equalled or exceeded during any year.

MANY FLOOD DESIGNATIONS WILL CHANGE OVER TIME

As more data are collected, or when a river basin is altered in a way that affects the flow of water in the river, scientists re-evaluate the frequency of flooding. Dams and urban development are examples of some man-made changes in a basin that affect floods.

THE USGS COLLECTS ESSENTIAL DATA FOR UNDERSTANDING FLOODS

Scientists at the USGS measure streamflow in rivers across the State during every major flood. After flood waters recede, the USGS may be funded to locate and survey "high-water marks" where debris and mud lines indicate the highest extent of flood waters. These post-flood surveys are used to estimate maximum flows at sites that could not be reached during the floods and also to map the areas covered by the floods.

Streamflow data that have been collected since 1975 on the Chehalis River near Doty indicate that the estimated streamflow of "1-in-100 chance flood" is higher than it was 20 years ago.	3009
The eariler flood designation was accurate on the basis of the data that were available at the time; more large floods happened after 1975 than from 1940-1975.	auto
The change in the flood designation after 20 years of additional data collection highlights the importance of continued river monitoring.	
Annual peak flow data for 1995 and 1996 are provisional and may change.	(Larger Version, 182K GIF)

ARCH 631

F2008abn



DO YOU LIVE ON THE FLOODPLAIN?

The areas affected by past floods have been mapped by the Federal Emergency Management Agency and many other government agencies. Because of continuing changes in river channels and land use in many basins, the maps may not reflect current information for your area. Inquire at your City or County Building or Planning Department.

If you live on the designated floodplain, the chances are about 1 in 2 that you will experience a flood during your lifetime. Prepare for a flood as you would for any natural disaster, and make evacuation plans for your family.

FLOODS WILL CONTINUE TO HAPPEN

Although we can lessen effects of some floods, they are part of the natural cycle of every river and benefit instream habitats by moving material downstream and renewing streambeds. As floods get bigger and spread farther, flood waters slow and deposit sediment on the floodplain. This natural process created valuable farmlands in river valleys of the Pacific Northwest over thousands of years.

Glossary of Flood Terms A <u>flood</u> is any relatively high streamflow that overtops the natural or artificial banks of a river. Discharge is another term for streamflow; it is the measured volume of water that moves past a point in the river in a given amount of time. Discharge is usually expressed in cubic feet per second.	The <u>floodplain</u> is the relatively flat lowland that borders a river, usually dry but subject to flooding. Floodplain soils actually are former flood deposits. The <i>average</i> number of years between floods of a certain size is the <u>recurrence interval</u> or return period. The <i>actual</i> number of years
	between floods of any given size varies a lot because of the naturally changing climate.A <u>hydrograph</u> is a graph that shows changes in
	discharge or river stage over time. The time scale may be in minutes, hours, days, months,

ARCH 631	Note Set 15.4	F2008abn
One <u>cubic foot per second</u> (c gallons per minute. The avera the Columbia ~ River in Septe Dalles, Oregon, is about 120,0 would fill the Seattle Kingdom minutes. The average discharg River in September is about 1 Puyallup, Wash.	ge discharge of ember at The 000 cfs, which ne in less than 10 ge of the Puyallup	height of the water in the e to an arbitrary fixed

--Karen Dinicola

from U.S. Department of the Interior, U.S. Geological Survey, Fact Sheet FS-229-96

For more information contact any of the following:

The U.S. Geological Survey has served the public and Federal, State, and local goverments since 1879 by collecting, analyzing, and publishing detailed information about the Nation's mineral, land, and water resources. The USGS has been studying the water resources of Washington State since the turn of the century. This information is in a variety of map, book, electronic, and other formats and is available by contacting:

U.S. Geological Survey 1201 Pacific Ave., #600 Tacoma, WA 98402 (253) 428-3600 Fax: (253) 428-3614 Email:dc_wa@usgs.gov Selected data and interpretive reports are available on the USGS Washington "home page" on the World Wide Web at http://wa.water.usgs.gov/

Fact Sheet Home PageEnvironment	Hazards Information Management Resou	ces State
------------------------------------	---	-----------

U.S. Department of the Interior, U.S. Geological Survey Maintainer: Fact Sheet Team Last update: 06:52:25 Fri 05 Apr 2002 Privacy Statement || Disclaimer || Accessibility URL: http://pubs.water.usgs.gov/FS-229-96

