

frames:
 rigid and braced




Rigid Frames 1
 Lecture 24

Architectural Structures I
 ENDS 231

Su2004abn

Rigid Frames

- rigid frames have no pins
- frame is all one body
- joints transfer moments and shear
- typically statically indeterminate
- types
 - portal
 - gable




Rigid Frames 8
 Lecture 27

Architectural Structures I
 ENDS 231

S2004abn

Rigid Frames

- behavior




Rigid Frames 9
 Lecture 27

Architectural Structures I
 ENDS 231

S2004abn

Rigid Frames

- moments get redistributed
- deflections are smaller
- effective column lengths are shorter
- very sensitive to settling



Rigid Frames 10
 Lecture 27

Architectural Structures I
 ENDS 231

S2004abn

Rigid Frames

- resists lateral loadings
- shape depends on stiffness of beams and columns
- 90° maintained





Figure 9.19: Modal demonstration of the effects of varying the stiffness of beams and columns when a building frame is subjected to lateral loads.


Rigid Frames 11
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Rigid Frames

- staggered truss
 - rigidity
 - clear stories





Rigid Frames 12
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Rigid Frames

- connections
 - steel
 - concrete



Rigid Frames 13
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Braced Frames

- pin connections
- bracing to prevent lateral movements





Rigid Frames 14
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Braced Frames

- types of bracing
 - knee-bracing
 - diagonal
 - X
 - K or chevron
 - shear walls




Rigid Frames 15
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Shear Walls

- resist lateral load in plane with wall




Rigid Frames 16
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Rigid Frame Analysis

- members see
 - shear
 - axial force
 - bending
- V & M diagrams
 - plot on "outside"




Rigid Frames 17
Lecture 27

Architectural Structures I
ENDS 231

S2004abn

Rigid Frame Analysis

- need support reactions
- free body diagram each member
- end reactions are equal and opposite on next member
- "turn" member like beam
- draw V & M



Rigid Frames 18
Lecture 27


Architectural Structures I
ENDS 231

S2004abn

Rigid Frame Analysis

- FBD & M

- opposite end reactions at joints



Rigid Frames 19
Lecture 27


Architectural Structures I
ENDS 231

S2004abn

Rigid Frame Design

• loads and combinations

- usually uniformly distributed gravity loads
- worst case for largest moments...
- wind direction can increase moments



Rigid Frames 20
Lecture 27

Architectural Structures I
ENDS 231

S2005abn


Rigid Frame Design

• frames & floors

- rigid frame can have slab floors or slab with connecting beams

• other

- slabs or plates on columns



Rigid Frames 21
Lecture 27



Architectural Structures I
ENDS 231

S2005abn

Rigid Frame Design

• floors – plates & slabs

- one-way behavior
 - side ratio > 1.5
 - “strip” beam
- two-way behavior
 - more complex



Rigid Frames 22
Lecture 27

Architectural Structures I
ENDS 231

S2005abn

| DESIGN CRITERIA | Light-frame timber | Heavy-frame timber | Masonry bearing wall | Steel frame (hinge connections) | Steel frame (rigid connections) | Steel open-web joists | Steel space frame | Steel decking | Site-cast concrete: one-way slab | Site-cast concrete: two-way plate | Site-cast concrete: two-way slab | Site-cast concrete: one-way joists | Site-cast concrete: waffle slab | Precast concrete: solid slab | Precast concrete: hollow-core slab | Precast concrete: single tee | Precast concrete: double tee | RATIONALE |
|---|--------------------|--------------------|----------------------|---------------------------------|---------------------------------|-----------------------|-------------------|---------------|----------------------------------|-----------------------------------|----------------------------------|------------------------------------|---------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------|---|
| Exposed, fire-resistant construction | | | | | | | | | | | | | | | | | | Inherently fire-resistant construction |
| Irregular building form | | | | | | | | | | | | | | | | | | Simple, site-fabricated systems |
| Irregular column placement | | | | | | | | | | | | | | | | | | Systems without beams in roof or floors |
| Minimize floor thickness | | | | | | | | | | | | | | | | | | Precast-concrete systems without ribs |
| Allow for future renovations | | | | | | | | | | | | | | | | | | Short-span, one-way, easily modified |
| Permit construction in poor weather | | | | | | | | | | | | | | | | | | Quickly erected; avoid site-cast concrete |
| Minimize off-site fabrication time | | | | | | | | | | | | | | | | | | Easily formed or built on site |
| Minimize on-site erection time | | | | | | | | | | | | | | | | | | Highly prefabricated; modular components |
| Minimize low-rise construction time | | | | | | | | | | | | | | | | | | Lightweight, easily formed or prefabricated |
| Minimize medium-rise construction time | | | | | | | | | | | | | | | | | | Precast, site-cast concrete; steel frames |
| Minimize high-rise construction time | | | | | | | | | | | | | | | | | | Strong; prefabricated; lightweight |
| Minimize shear walls or diagonal bracing | | | | | | | | | | | | | | | | | | Capable of forming rigid joints |
| Minimize dead load on foundations | | | | | | | | | | | | | | | | | | Lightweight, short-span systems |
| Minimize damage due to foundation settlement | | | | | | | | | | | | | | | | | | Systems without rigid joints |
| Minimize the number of separate trades on job | | | | | | | | | | | | | | | | | | Multipurpose components |
| Provide concealed space for mech. services | | | | | | | | | | | | | | | | | | Systems that inherently provide voids |
| Minimize the number of supports | | | | | | | | | | | | | | | | | | Two-way, long-span systems |
| Long spans | | | | | | | | | | | | | | | | | | Long-span systems |


Review 2
Lecture 28

Architectural Structures I
ENDS 231

F2005abn

Structural Design Sequences

- *first-order design*
 - structural type and organization
 - design intent
 - contextual or programmatic
- *second-order*
 - structural strategies
 - material choice
 - structural systems
- *third-order*
 - member shaping & sizing




Review 4
Lecture 28

Architectural Structures I
ENDS 231

F2005abn

Structural Design Criteria


- *components stay together*
- *structure acts as whole to be stable*
 - resist sliding
 - resist overturning
 - resist twisting and distortion
- *internal stability*
 - interconnectedness
- *strength & stiffness*



Overturning: wind or earthquake



Twisting



Lateral racking

Review 3
Lecture 28


Architectural Structures I
ENDS 231

F2005abn

Component Design Guides

Appendix A: PRELIMINARY DESIGN CHARTS

263



Review 5
Lecture 28

Architectural Structures I
ENDS 231

F2005abn

Final Exam Material

- *my list:*
 - *equilibrium - ΣF & ΣM*
 - *supports, trusses, cables, beams, pinned frames, rigid frames*
 - *materials*
 - *strain & stress (E), temperature, constraints*
 - *beams*
 - *distributed loads, tributary width, V&M, stresses, design, section properties (I & S), pitch, deflection*

Final Exam Material

- *my list (cont'd):*
 - *columns*
 - *stresses, design, section properties (I & r)*
 - *frames*
 - *P, V & M, P- Δ , connection design, tension member design*
 - *design*
 - *ASD*
 - *LRFD*
 - *wood peculiarities*