ARCHITECTURAL STRUCTURES I:
STATICS AND STRENGTH OF MATERIALS
ENDS 231
DR. ANNE NICHOLS
SPRING 2007

lecture
twenty eight

the semester and beyond

DESIGN CRITERIA	Light-frame timber	Heavy-frame timber	Masonry bearing wall	Steel frame (hinge connections)	Steel frame (rigid connections)	Steel open-web joists	Steel space frame	Steel decking	Site-cast concrete: one-way slab	Site-cast concrete: two-way plate	Site-cast concrete: two-way slab	Site-cast concrete: one-way joists	Site-cast concrete: waffle slab	Precast concrete: solid slab	Precast concrete: hollow-core slab	Precast concrete: single tee	Precast concrete: double tee	RATIONALE
Exposed, fire-resiant construction		■	■						■	■	■		■	■	■	■	■	Inherently fire-resistive construction
Irregular building form	■		■															Simple, site-fabricated systems
Irregular column placement										■	■		■					Systems without beams in roof or floors
Minimize floor thickness									■	■				■	■	■	■	Precast-concrete systems without ribs
Allow for future renovations	■	■	■	■	■	■	■	■				■		■	■	■		Short-span, one-way, easily modified
Permit construction in poor weather	■	■		■	■	■	■	■						■	■	■		Quickly erected; avoid site-cast concrete
Minimize off-site fabrication time	■	■							■	■	■	■	■					Easily formed or built on site
Minimize on-site erection time		■		■	■	■		■						■	■	■		Highly prefabricated; modular components
Minimize low-rise construction time	■	■		■	■	■		■										Lightweight, easily formed or prefabricated
Minimize medium-rise construction time				■	■	■		■	■	■	■	■	■	■	■	■		Precast, site-cast concrete; steel frames
Minimize high-rise construction time				■	■	■		■										Strong; prefabricated; lightweight
Minimize shear walls or diagonal bracing			■		■				■	■	■	■	■					Capable of forming rigid joints
Minimize dead load on foundations	■	■		■	■	■	■	■										Lightweight, short-span systems
Minimize damage due to foundation settlement	■	■		■	■	■	■	■						■	■	■		Systems without rigid joints
Minimize the number of separate trades on job	■		■															Multipurpose components
Provide concealed space for mech. services	■					■	■	■							■			Systems that inherently provide voids
Minimize the number of supports							■	■										Two-way, long-span systems
Long spans							■										■	Long-span systems

Structural Design Criteria

- *components stay together*
- *structure acts as whole to be stable*
  - *resist sliding*
  - *resist overturning*
  - *resist twisting and distortion*
- *internal stability*
  - *interconnectedness*
- *strength & stiffness*



Structural Design Sequences

- *first-order design*
  - *structural type and organization*
  - *design intent*
  - *contextual or programmatic*
- *second-order*
  - *structural strategies*
  - *material choice*
  - *structural systems*
- *third-order*
  - *member shaping & sizing*



Component Design Guides



Final Exam Material

- *my list:*
  - *equilibrium - ΣF & ΣM*
    - *supports, trusses, cables, beams, pinned frames*
  - *materials*
    - *strain & stress (E), temperature, constraints*
  - *beams*
    - *distributed loads, tributary width, V&M, stresses, design, section properties (I & S), pitch, deflection*

Final Exam Material

- *my list (cont'd):*
  - *columns*
    - *stresses, design, section properties (I & r)*
  - *frames*
    - *P, V & M, P-Δ, connection design, tension member design*
  - *design*
    - *ASD*
    - *LRFD*
    - *wood peculiarities*