

ENDS 231. Assignment #9


Date: 11/1/07, due 11/8/07

Pass-fail work

Problems: from Onouye, Chapter 9.

*Note: Problems marked with a * have been altered with respect to the problem stated in the text. Multiframe4D may be used for V & M diagrams.*

(30%) **9.1.11** Two steel plates (A572, $F_y = 50$ ksi) are welded together to form an inverted T-beam. Determine the maximum bending stress developed. Also determine the maximum shear stress at the neutral axis (N.A.) of the cross-section and at the intersection where the stem joins the flange. (*flexural and shear stress*)



Problem 9.1.11

Partial answers to check with: $\hat{y} = 3.07$ in from bottom,



$$I_x = 112.6 \text{ in.}^4, f_b = 27.6 \text{ ksi},$$

$$f_{v-max} = 1.37 \text{ ksi}, (Q_{na} = 17.6 \text{ in}^3),$$

$$f_{v-joint} = 1.20 \text{ ksi} (Q = 15.44 \text{ in}^3).$$

(30%)***9.1.14** A lintel beam 12' long is used in carrying the imposed (*flexural and shear stress*) loads over a doorway opening. Assuming that a built-up box beam is used with a 12" overall depth as shown, determine the maximum bending stress and shear stress developed.

*** Also determine the required pitch spacing for the bottom 2x4 with 1 nail each side (2) with a shear capacity of 300 lb.**



Problem 9.1.14

Partial answers to check with: $\hat{y} = 6.71$ in, $I_x = 496.2 \text{ in.}^4$, $f_b = 1168$ psi, $f_v = 195$ psi
 $(Q = 53.8 \text{ in}^3)$, $p = 5.3$ in. ($Q = 31.3 \text{ in}^3$)

Note: The negative area method is quicker for finding I_x .


(40%)*9.1.22 Design a Douglas fir-larch No. 1 beam to support the load shown. (*stress design and deflection*)

$$F_b = 1300 \text{ psi}$$

$$F_v = 85 \text{ psi} \quad \boxed{* \gamma \approx 32 \text{ lb/ft}^3 \text{ for Douglas fir}}$$

$$E = 1.6 \times 10^6 \text{ psi}$$

$$\Delta_{\text{allow}(LL)} = L/360$$



Problem 9.1.22

Partial answers to check with:

$S_{x\text{-req'd}} = 207 \text{ in.}^3$, $A_{\text{req'd}} = 99 \text{ in}^2$. **With one possible selection, the self weight is $\approx 25 \text{ lb/ft}$, new $S_{\text{req'd}} \approx 214 \text{ in}^3$, $A_{\text{req'd}} \approx 103 \text{ in}^2$. $\Delta_{(LL)} \approx 0.2 \text{ in}$.**